

## **GALVALUME 20 YEAR WARRANTY**

Delta Consolidated, LLC warrants that hot-dipped aluminum-zinc alloy coated Galvalume steel sheets sold as Delta Rib, M, Horizon-Loc, PBR-Loc, for use as steel building roofing and siding panels, if erected in the United States, Will not rupture, fail structurally or perforate within a period of twenty (20) years after shipment due to exposure to normal atmospheric corrosion.

This warranty DOES NOT APPLY to sheets exposed at any time to corrosive or aggressive atmospheric conditions, including but not limited to:

- Areas subject to salt water marine atmospheres or to constant spraying of either salt or fresh water.
- Areas subject to fallout or exposure to corrosive chemicals, ash or fumes.
- Areas subject to water run-off from lead or copper flashing or areas in metallic contact with lead or copper.
- Conditions/circumstances where corrosive fumes or condensates are generated or released inside the building.

This warranty DOSE NOT APPLY in the event of:

- Mechanical, chemical or other damage sustained during shipment, storage, erection, or after erection.
- Failure to provide free drainage of water, including internal condensation from overlaps and all other surfaces of the sheets or panels.
- Failure to remove debris from overlaps and all other surfaces of the sheets or panels.
- Damage caused to the metallic coating by improper scouring or cleaning procedures.
- Deterioration of the panels caused by contact with green or wet lumber, or storage stain caused by water damage or condensation.
- Presence of damp insulation or other corrosive materials in contact with or close proximity to the panel.
- Deterioration of the panels caused directly or indirectly by panel contact with fasteners. Selection of suitable long-lasting fasteners to be used with Galvalume roofing and siding panels rests solely with the Buyer.
- A degree of bending less than 2T for sheet gauges up to 0.030 in. and degree of bending less than 4t for sheet gauges 0.031 in. and thicker.
- Slopes of roof or sections of the roof flatter than ¼:12.

This warranty shall be subject to the stipulations, limitations and conditions hereinafter set forth.

The remedy for any claims on steel roofing and siding panels shall be at the discretion of Delta Consolidated, LLC and shall be limited to refinishing or replacing the defective panels.

DELTA CONSOLIDATED, LLC SHALL NOT BE LIABLE FOR ANY LOSSES, DAMAGES OR EXPENSES WHETHER DIRECT, INCIDENTAL OR CONSEQUENTIAL, CAUSED BY OR RESULTING FROM THE USE OF DEFECTIVE OR NON-CONFORMING STEEL ROOFING AND SIDING PANELS OR FOR ANY OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES.

DELTA CONSOILDATED, LLC'S TOTAL LIABILITY IS EXPRESSLY LIMITED TO THE PURCHASE PRICE OF THE STEEL ROOFING AND SIDING PANELS.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so this limitation or exclusion may not apply in your state. This warranty provides specific legal rights and other rights which vary from state to state that may apply.

Delta Consolidated, LLC's liability for the breach of this warranty shall be limited exclusively to the cost of either repairing non-conforming, rupturing, perforating or structurally failing panels, or at Delta's sole option, of furnishing FOB Buyer's plant sufficient sheet product to enable Buyer to fabricate replacement panels for the non-conforming, rupturing, perforating or structurally failing panels. Delta shall not in any event be liable for the cost of labor expended by others on any non-conforming, rupturing, perforating or structurally failing sheet or for any special, indirect, or consequential loss of profits or any other incidental, general, Special or compensatory damages to anyone by reason of the fact that such panels shall have been non-conforming, rupturing, perforating, or structurally failing.

Claims under this warranty must be made in writing to Delta Consolidated, LLC at the address set forth below within 30 days after discovery of the defect. Delta shall have an additional 30 days to inspect the steel roofing and siding panels before any further action shall be taken. Adequate identification of material involved in the claim, including date of installation, order number, invoice number and date of shipment must be established by the Buyer.

Buyer shall exercise diligence in inspection of sheets as received from Delta so as to mitigate repair or replacement. Delta extends this warranty solely to the original owner of and structure where the material is stalled. This warranty is not transferable and non-assignable. Delta reserves the right to terminate this warranty at any time (except as to orders already accepted) upon the giving of written notice thereof.

DELTA CONSOLIDATED, LLC MAKES NO GUARANTEES, EITHER EXPRESSED OR IMPLIED BEYOND THE FACE HEREOF, INCLUDING, WITHOUT LIMITATION, WARRANTIES, OF FITNESS AND MERCHANTABILITY, AND SHALL HAVE NO OTHER LIABILITY WITH RESPECT THERETO.



205 Paillet Drive  
Harvey, LA 70058  
Ph: 504-368-5433  
Fax: 504-368-5436

THIS WARRANTY HAS BEEN ISSUED TO:

DATE:

## SELECT 40 YEAR LIMITED WARRANTY

LIMITED WARRANTY AND LIMITATION OF LIABILITY FOR DELTA CONSOLIDATED, LLC (DC) PANEL-LOC, DELTA RIB, PBR, HORIZON-LOC, M-DELTA-LOC AND DELTA SEAM PLUS STEEL ROOFING AND SIDING PANELS THIS WARRANTY COVERS SELECT MATERIAL ONLY. PRIME AND THRIFTY MATERIAL ARE COVERED BY SEPARATE WARRANTIES.

DC is pleased to present you with our 40-year Select limited warranty.

For forty (40) years from the date of installation, the color coated finish WILL NOT crack, check or peel (lose adhesion). This does not include minute fracturing, which may occur in proper fabrication of the building parts. *Failure due to substrate corrosion is excluded.*

SIDEWALL PANELS (for thirty (30) years from installation or thirty and one half (30-1/2) years from coating application)

- a) WILL NOT chalk in excess of ASTM-D-4214-98 method A D659 number nine (9) rating.
- b) WILL NOT change color more than five (5.0) Hunter  $\Delta E$  units as determined by ASTM method D-2244-02.  
Color change shall be measured on an exposed painted surface that has been cleaned of surface soils and chalk, and the corresponding values measured on the original or unexposed painted surface. It is understood that fading or color changes may not be uniform if the surfaces are not equally exposed to the sun and elements.

ROOFING PANELS (for thirty (30) years from installation or thirty and one half (30-1/2) years from coating application)

- a) WILL NOT chalk in excess of ASTM D-4214-98 method A D659 number eight (8) rating.
- b) WILL NOT change color more than six (6.0) Hunter  $\Delta E$  units as determined by ASTM method D-2244-02. Color change shall be measured on an exposed painted surface that has been cleaned of surface soils and chalk, and the corresponding values measured on the original or unexposed painted surface. It is understood that fading or color changes may not be uniform if the surfaces are not equally exposed to the sun and elements.

In case of a complaint, you will provide access to us and assist us as necessary in determining the exact cause of the failure. ASTM and NCCA testing procedures will be used. If our Select coating fail to comply with our limited warranty, we will pay for the labor and material reasonably necessary to repaint repair or replace, at our option, the building part showing the failure. In order for the warranty to be effective, however, you must notify us in writing of the failure within thirty (30) days of the discovery of such problem and provide any documentation we may require. If we repaint, we will use normal painting practices using the same paint system or other suitable alternatives. This warranty also applies to the part we repaint, repair, or replace, but only for the unexpired portion of the warranty period applicable to the original part.

Our LIMITED WARRANTY DOES NOT APPLY to circumstances which we do not control, including:

- Acts of God, falling objects explosions, fire or other such similar or dissimilar occurrences beyond Delta's control;
  - Unusual harmful fumes, foreign substances in the atmosphere, standing water, or salt spray;
  - Improper treatment of or defects in the metal or in the fabrication;
  - Stored or installed in a way that allows for poor air circulation;
  - Stored or installed in a way that allows for contact with animals or animal waste
- Mishandled Products, e.g., ANY PRODUCT THAT HAS BEEN ABUSED, ALTERED, MODIFIED, USED IN AMANNER NOT ORIGINALLY INTENDED, OR STORED CONTRARY TO OUR INSTRUCTIONS. Including
- a) damage to the product occasioned by condensation attributable to improper packaging, handling, shipping, processing and /or installation;
  - b) damage due to failure of the substrate.

This warranty will apply only to metal which is coated with Fluropon and used on property located within the continental United States, Alaska, and Canada.

Some colors may not meet our high standards. The warranty applies only to colors that are on our approved color list. Metallics are not color measurable and are not applicable to section 1b.

For our warranty to apply, you must maintain certain record necessary to identify the Select panels involved in a complaint. You need to make them available to us for inspection and copying.

This is our only warranty concerning the Select products color coated finish. We have no other obligations concerning them. Please read and understand the following;

Except for this warranty, we make NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, WITH RESPECT TO OUR SELECT PRODUCTS COLOR COATED FINISH. IMPLIED WARRANTIES OR FITNESS AND MERCHANTABILITY ARE EXCLUDED. Further, we have no other liability with respect to our Select products color coated finish, whether based on warranty, negligence or any other legal theory. For example, we have no liability for consequential damages. That is our complete warranty. It sets out all of our obligations regarding our Select product coil coatings. Its is only for you benefit and is not assignable. Such things as your purchase order forms or our Acceptance forms cannot change it. But it can be changed if DELTA agrees in writing.



205 Paillet Drive  
Harvey, LA 70058  
Ph: 504-368-5433  
Fax: 504-368-5436

THIS WARRANTY HAS BEEN ISSUED TO:

DATE:

## PRIME 40 YEAR LIMITED WARRANTY

FOR DELTA MANUFACTURING (DELTA) PANEL-LOC, DELTA RIB, PBR HORIZON-LOC, M-DELTA LOC, AND DELTA SEAM PLUS STEEL ROOFING AND SIDING PANELS. THIS WARRANTY COVERS PRIME MATERIAL ONLY. THIRTY MATERIAL IS COVERED BY A SEPARATE WARRANTY.

DC warrants that the color-coated finish applied to its steel roofing and siding panels will not, within a period of forty years after installation or forty years and one month after the date of shipment (whichever comes first), crack, check, peel or lose adhesion. This does NOT include minute fracturing, which may occur in proper fabrication of the building parts. Failure due to substrate corrosion is excluded.

DC also warrants that the color-coated finish applied to its steel roofing and siding panels will not, within a period of thirty years after installation or a period of thirty years and one month after the date of shipment (whichever comes first), chalk or lose color according to the following grids. Additionally, chalk ratings are measured in accordance with the standard procedures specified in ASTM-D-4214-98 method D659. Color (fade) ratings are measured in accordance with the standard procedures specified in ASTM-D-2244-02. Color change shall be measured on an exposed painted surface that has been cleaned of surface soils and chalk, and the corresponding values measured on the original or unexposed painted surface. It is understood that fading or color changes may not be uniform if the surfaces are not equally exposed to the sun and elements.

1)DISCLAIMER OF WARRANTY. THE EXPRESS WARRANTY STATED HEREIN IS THE EXCLUSIVE WARRANTY APPLICABLE TO DC PANEL-LOC, DELTA RIB, PBR HORTZON-LOC, M-DELTA-LOC, AND DELTA SEAM PLUS PRIME PAINTED MATERIAL ONLY, ROOFING AND SIDING PANELS. DC MAKES NO WARRANTIES OR GUARANTEES, EITHER EXPRESSED OR IMPLIED, BEYOND THE FACE HEREOF INCLUDING, WITHOUTH LIMITATION, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. DELTA SHALL HAVE NO OTHER LIABILITY WITH RESPECT THERETO. This warranty will apply to those panels refinished or replaced but only for the period of time left on the original warranty. No employee or representative of DELTA is original warranty. No employee or representative of DELTA of authorized to change this limited warranty in any way or grant any other warranty regarding the product.

2) LIMITATION OF LIABILITY. THE EXCLUSIVE REMEBY FOR ANY AND ALL CLAIMS ARISING FROM THIS LIMITED WARRANTY SHALL BE LIMITED TO DELTA REFINISHING OR REPLACING DEFECTIVE PANELS OR REFUNDING THE PURCHASE PRICE OF SUCH PANELS AS DELTA SHALL ELECT. DELTA SHALL NOT BE LIABLE FOR ANY LOSSES, DAMAGES, OR EXPENSES, WHETHER DIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, IF OUR DELTAGUARD SILICONIZED POLYESTER COATINGS FAIL TO COMPLY WITH OUR LIMITED WARRANTY, WE WILL PAY FOR THE LABOR AND THE MATERIALS REASONABLY NECESSARY TO REPAINT, REPAIR OR REPLACE, AT OUR OPTION, THE BUILDING PART SHOWING THE FAILURE. DELTA'S TOTAL LIABILITY IS EXPRESSLY LIMITED TO THE PURCHASE PRICE OF THE DELTA STEEL ROOFING AND SIDING PANELS.

3) Claims under this warranty must be made in writing to DELTA at the address set forth below within 30 days after the discovery of the defect. The notice to Delta shall include adequate identification of the material involved, nature of the claimed defect, date of the installation, date of shipment and order number. Failure of the claimant to provide such information in the time provided shall be deemed as a waiver of the claimant's rights herein. DELTA shall have an additional 30 days to inspect the DELTA steel roofing and siding panels before any further action shall be taken.

4) DELTA does not warrant or guarantee the interior or reversed side finish or prepainted materials used for interior application.

5) DELTA does not warrant or guarantee claims arising from damage to panels due to exposure to salt and salt water, water spray, corrosive or harmful chemicals (whether solids, liquids or gases), airborne contaminants, hail or other agents of a similar nature.

6) DELTA does not warrant or guarantee claims arising from the following:

a) Damage or defects caused by acts of God, falling objects, external forces, explosion, fire, riots, civil commotion, acts of war, excessive radiation, or other similar or dissimilar occurrences beyond DELTA'S control.

b) Minor hairline cracking of he paint finish.

c) Defects or damages to the painted steel roofing and siding panels caused by handling, shipping, transit, processing, storage or installation; damage due to failure of the substrate.

d) Damage caused by moisture or other contamination prior to installation.

e) Steel shavings or minute iron particles from sawing sparks that come in contact with the painted surface.

f) Non-vertical panels that don't have an adequate degree of pitch so as not to allow any free standing or accumulation of standing water.

g) Stored or installed in a way that allows from contract with animal or animal waste.

h) Deterioration to the panels caused directly or indirectly by panel contact with fasteners. The selection of suitable fasteners rests solely with the buyer.

i) Weather uniformity under non-uniform conditions.

j) Unusual harmful fumes, chemically aggressive environment, foreign substances in the atmosphere, standing water or direct salt spray.

k) Damage due to green, wet or treated lumber.

7) The warranty applies to panels installed in the continental United States, Alaska, and Canada.

8) DELTA extends this warranty solely to the buyer. This warranty is not transferable and non-assignable. Further, it is applicable only to the original owner of any structure where the material is installed.



205 Paillet Drive  
Harvey, LA 70058  
Ph: 504-368-5433  
Fax: 504-368-5436

THIS WARRANTY HAS BEEN ISSUED TO:

DATE: